

xl-infinity
Modular & Customized
Limb Salvage Systems




XLO, established in 1992, has emerged as a pioneering force in the field of orthopaedic implants. The company is dedicated to enhancing patient outcomes and improving quality of life through innovative solutions in orthopaedics.

With a strong emphasis on quality and precision, **XLO a US FDA, CE, ISO13485:2016, WHO:GMP, ISO 9001:2015 & Indian FDA** has positioned itself as a leader in the design, development, and manufacturing of advanced orthopaedic implants.

XLO offers the most extensive range of Cementless & Cemented Joint Replacement Implants, Trauma Implants, 3d Printed Patient Specific Implants & Instruments along with Bone Cement with a state-of-the-art manufacturing facility located in New Delhi, India. This facility is equipped with advanced technology that supports the production of high-quality orthopaedic implants while adhering to strict regulatory standards.

The company has established a pan-India presence, ensuring that its products are accessible across the country. Furthermore, XLO exports its innovative solutions worldwide, contributing significantly to global healthcare advancements in orthopaedics.





Size Selection Chart

Femur Component	Resection Spacer	Stem Collar	Length of Resection
75mm	-	5mm	80mm
75mm	35mm	5mm	115mm
75mm	45mm	5mm	125mm
75mm	55mm	5mm	135mm
75mm	65mm	5mm	145mm
75mm	75mm	5mm	155mm
75mm	85mm	5mm	165mm
75mm	95mm	5mm	175mm
75mm	105mm	5mm	185mm
75mm	115mm	5mm	195mm
75mm	125mm	5mm	205mm

Lower Limb Stem Stem Straight/ HaCollar/ Curved

Description	Dia/Length	HaAlV4	Stainless Steel
Straight	10x125mm	914-OT-10-125	914-OS-10-125
Straight	11x125mm	914-OT-11-125	914-OS-11-125
Straight	12x125mm	914-OT-12-125	914-OS-12-125
HaCollar	10x110mm	9007-OT-DPC-10-110	9007-OS-DPC-10-110
HaCollar	11x110mm	9007-OT-DPC-11-110	9007-OS-DPC-11-110
HaCollar	12x110mm	9007-OT-DPC-12-110	9007-OS-DPC-12-110
Curved	10x125mm	9007-OT-CU-10-125	9007-OS-CU-10-125
Curved	11x125mm	9007-OT-CU-11-125	9007-OS-CU-11-125
Curved	12x125mm	9007-OT-CU-12-125	9007-OS-CU-12-125

Tibia Component for Distal Femur (Rotating)

Description	Length M-L	Length A-P	Titanium	Stainless Steel
Small	65mm	60mm	901-OT-Small	901-OS-Small
Medium	65mm	65mm	901-OT-Medium	901-OS-Medium
Large	65mm	70mm	901-OT-Large	901-OS-Large

Stem for Tibia Component

Size	Titanium	Stainless Steel
9X50	905-OT-9-50	905-OS-9-50
9X75	905-OT-9-50	905-OS-9-75
9X100	905-OT-9-100	905-OS-9-100
10X50	905-OT-10-50	905-OS-10-50
10X75	905-OT-10-75	905-OS-10-75
10X100	905-OT-10-100	905-OS-10-100
11X50	905-OT-11-50	905-OS-11-50
11X75	905-OT-11-75	905-OS-11-75
11X100	905-OT-11-100	905-OS-11-100

Tibia Component for Distal Femur (Non-Rotating)

Description	Length M-L	Length A-P	Titanium	Stainless Steel
Small	65mm	60mm	916-OT-Small	916-OS-Small
Medium	65mm	65mm	916-OT-Medium	916-OS-Medium
Large	65mm	70mm	916-OT-Large	916-OS-Large

Resection Spacer


Length	Titanium	Stainless Steel
35mm	913-OT-35	913-OS-35
45mm	913-OT-45	913-OS-45
55mm	913-OT-55	913-OS-55
65mm	913-OT-65	913-OS-65
75mm	913-OT-75	913-OS-75
85mm	913-OT-85	913-OS-85
95mm	913-OT-95	913-OS-95
105mm	913-OT-105	913-OS-105
115mm	913-OT-115	913-OS-115
125mm	913-OT-125	913-OS-125

Femur Component (Left & Right)

> Length: 75mm	
Stainless Steel	Titanium
915-TR-80	915-SR-80
915-TL-80	915-SL-80

Hinge Pin, Ø10mm

Length	Titanium	Stainless Steel
50mm	906-OT-50	906-OS-50



Size Selection Chart

Proximal Femur Part	Resection Spacer	Stem Collar	Length of Resection
95mm	-	5mm	100mm
95mm	35mm	5mm	135mm
95mm	45mm	5mm	145mm
95mm	55mm	5mm	155mm
95mm	65mm	5mm	165mm
95mm	75mm	5mm	175mm
95mm	85mm	5mm	185mm
95mm	95mm	5mm	195mm
95mm	105mm	5mm	205mm
95mm	115mm	5mm	215mm
95mm	125mm	5mm	225mm

Size Selection Chart
for 100 Acetabular Cup

Acetabular Cup Size	Item Code
38mm	6007-00-38
40mm	6007-00-40
42mm	6007-00-42
44mm	6007-00-44
46mm	6007-00-46
48mm	6007-00-48
50mm	6007-00-50
52mm	6007-00-52
54mm	6007-00-54
56mm	6007-00-56

Resection Spacer

Length (mm)	Titanium	Stainless Steel
35mm	913-OT-35	913-OS-35
45mm	913-OT-45	913-OS-45
55mm	913-OT-55	913-OS-55
65mm	913-OT-65	913-OS-65
75mm	913-OT-75	913-OS-75
85mm	913-OT-85	913-OS-85
95mm	913-OT-95	913-OS-95
105mm	913-OT-105	913-OS-105
115mm	913-OT-115	913-OS-115
125mm	913-OT-125	913-OS-125

Size Selection Chart for
Bipolar/Half Cup

Half Cup Size	Item Code	Neck Length
38mm	5007-24-38/0	0
38mm	5007-24-38/-3	-3
38mm	5007-24-38/+5	+5
40mm	5007-24-40/0	0
40mm	5007-24-40/-3	-3
40mm	5007-24-40/+5	+5
42mm	5007-24-42/0	0
42mm	5007-24-42/-3	-3
42mm	5007-24-42/+5	+5
44mm	5007-28-44/0	0
44mm	5007-28-44/-3	-3
44mm	5007-28-44/+5	+5
46mm	5007-28-46/0	0
46mm	5007-28-46/-3	-3
46mm	5007-28-46/+5	+5
48mm	5007-28-48/0	0
48mm	5007-28-48/-3	-3
48mm	5007-28-48/+5	+5
50mm	5007-28-50/0	0
50mm	5007-28-50/-3	-3
50mm	5007-28-50/+5	+5
52mm	5007-28-52/0	0
52mm	5007-28-52/-3	-3
52mm	5007-28-52/+5	+5
54mm	5007-28-54/0	0
54mm	5007-28-54/-3	-3
54mm	5007-28-54/+5	+5

Lower Limb Stem Stem Straight/ HaCollar/ Curved


Description	Length/ Dia(Ø)	Titanium	Stainless Steel
Straight	10x125mm	914-OT-10-125	914-OS-10-125
Straight	11x125mm	914-OT-11-125	914-OS-11-125
Straight	12x125mm	914-OT-12-125	914-OS-12-125
HaCollar	10x110mm	9007-OT-DPC-10-110	9007-OS-DPC-10-110
HaCollar	11x110mm	9007-OT-DPC-11-110	9007-OS-DPC-11-110
HaCollar	12x110mm	9007-OT-DPC-12-110	9007-OS-DPC-12-110
Curved	10x125mm	9007-OT-CU-10-125	9007-OS-CU-10-125
Curved	11x125mm	9007-OT-CU-11-125	9007-OS-CU-11-125
Curved	12x125mm	9007-OT-CU-12-125	9007-OS-CU-12-125

Size Selection Chart
For Femur Heads

Femur Head (Ø)	Item Code	Neck Length
24mm	5006-24/0	0
24mm	5006-24/-3	-3
24mm	5006-24/+4	+4
24mm	5006-24/+7.5	+7.5
28mm	5006-28/0	0
28mm	5006-28/-3	-3
28mm	5006-28/+4	+4
28mm	5006-28/+7.5	+7,5

Proximal Femur
Component

Stainless Steel	Titanium
912-OS-100	912-TIT-100



Size Selection Chart

Tibia Component	Resection Spacer	Stem Collar	Length of Resection
70mm	-	5mm	75mm
70mm	35mm	5mm	110mm
70mm	45mm	5mm	120mm
70mm	55mm	5mm	130mm
70mm	65mm	5mm	140mm
70mm	75mm	5mm	150mm
70mm	85mm	5mm	160mm
70mm	95mm	5mm	170mm
70mm	105mm	5mm	180mm
70mm	115mm	5mm	190mm
70mm	125mm	5mm	200mm

Proximal Tibia Component

Description	Length Dia(Ø)	Titanium	Stainless Steel
Rotating Platform	70mm	921-TL-100	921-SL-100
Non-Rotating Platform	70mm	920-TL-100	920-SL-100

Resection Spacer

Length (mm)	Titanium	Stainless Steel
35mm	913-OT-35	913-OS-35
45mm	913-OT-45	913-OS-45
55mm	913-OT-55	913-OS-55
65mm	913-OT-65	913-OS-65
75mm	913-OT-75	913-OS-75
85mm	913-OT-85	913-OS-85
95mm	913-OT-95	913-OS-95
105mm	913-OT-105	913-OS-105
115mm	913-OT-115	913-OS-115
125mm	913-OT-125	913-OS-125

Lower Limb Stem Stem Straight/ HaCollar/ Curved


Description	Length/ Dia(Ø)	Titanium	Stainless Steel
Straight	10x125mm	914-OT-10-125	914-OS-10-125
Straight	11x125mm	914-OT-11-125	914-OS-11-125
Straight	12x125mm	914-OT-12-125	914-OS-12-125
HaCollar	10x110mm	9007-OT-DPC-10-110	9007-OS-DPC-10-110
HaCollar	11x110mm	9007-OT-DPC-11-110	9007-OS-DPC-11-110
HaCollar	12x110mm	9007-OT-DPC-12-110	9007-OS-DPC-12-110
Curved	10x125mm	9007-OT-CU-10-125	9007-OS-CU-10-125
Curved	11x125mm	9007-OT-CU-11-125	9007-OS-CU-11-125
Curved	12x125mm	9007-OT-CU-12-125	9007-OS-CU-12-125

Femur Component for Proximal Tibia (Left & Right)

Stainless Steel	Titanium
920-LS-140	920-LT-140
920-RS-140	920-RT-140

Hinge Pin, Ø10mm

Length	Titanium	Stainless Steel
50mm	906-OT-50	906-OS-50



Lower Limb Stem Stem Straight/ HaCollar/ Curved

Description	Length/ Dia(Ø)	Titanium	Stainless Steel
Straight	10x125mm	914-OT-10-125	914-OS-10-125
Straight	11x125mm	914-OT-11-125	914-OS-11-125
Straight	12x125mm	914-OT-12-125	914-OS-12-125
HaCollar	10x110mm	9007-OT-DPC-10-110	9007-OS-DPC-10-110
HaCollar	11x110mm	9007-OT-DPC-11-110	9007-OS-DPC-11-110
HaCollar	12x110mm	9007-OT-DPC-12-110	9007-OS-DPC-12-110
Curved	10x125mm	9007-OT-CU-10-125	9007-OS-CU-10-125
Curved	11x125mm	9007-OT-CU-11-125	9007-OS-CU-11-125
Curved	12x125mm	9007-OT-CU-12-125	9007-OS-CU-12-125

Resection Spacer

Length (mm)	Titanium	Stainless Steel
35mm	913-OT-35	913-OS-35
45mm	913-OT-45	913-OS-45
55mm	913-OT-55	913-OS-55
65mm	913-OT-65	913-OS-65
75mm	913-OT-75	913-OS-75
85mm	913-OT-85	913-OS-85
95mm	913-OT-95	913-OS-95
105mm	913-OT-105	913-OS-105
115mm	913-OT-115	913-OS-115
125mm	913-OT-125	913-OS-125

Femur/Tibia Component
(Left & Right)

Stainless Steel	Titanium
1095-OS-Right	1095-OT-Right
1095-OS-Left	1095-OT-Left

Hinge Pin, Ø10mm

Length	Titanium	Stainless Steel
50mm	906-OT-50	906-OS-50

Size Selection Chart

Distal Tibia Component	Resection Spacer	Stem Collar	Length of Resection
55mm	-	5mm	60mm
55mm	35mm	5mm	95mm
55mm	45mm	5mm	105mm
55mm	55mm	5mm	115mm
55mm	65mm	5mm	125mm
55mm	75mm	5mm	135mm
55mm	85mm	5mm	145mm
55mm	95mm	5mm	155mm
55mm	105mm	5mm	165mm
55mm	115mm	5mm	175mm
55mm	125mm	5mm	185mm


Lower Limb Stem Stem Straight/ HaCollar/ Curved

Description	Length/ Dia(Ø)	Titanium	Stainless Steel
Straight	10x125mm	914-OT-10-125	914-OS-10-125
Straight	11x125mm	914-OT-11-125	914-OS-11-125
Straight	12x125mm	914-OT-12-125	914-OS-12-125
HaCollar	10x110mm	9007-OT-DPC-10-110	9007-OS-DPC-10-110
HaCollar	11x110mm	9007-OT-DPC-11-110	9007-OS-DPC-11-110
HaCollar	12x110mm	9007-OT-DPC-12-110	9007-OS-DPC-12-110
Curved	10x125mm	9007-OT-CU-10-125	9007-OS-CU-10-125
Curved	11x125mm	9007-OT-CU-11-125	9007-OS-CU-11-125
Curved	12x125mm	9007-OT-CU-12-125	9007-OS-CU-12-125

Distal Tibia Component

Stainless Steel	Titanium
952-OS-55	952-OT-55
952-OS-55CL	952-OT-55CL





Saddle

Stainless Steel	Titanium
922-SR-Small	922-TR-Small
922-SR-Medium	922-TR-Medium
922-SR-Large	922-TR-Large

Spacer

Stainless Steel	Titanium
922-SR-25	922-TR-25
922-SR-45	922-TR-45
922-SR-55	922-TR-55
922-SR-65	922-TR-65

Muller Stem


Stainless Steel	Titanium
922-ML-SS-Small	922-ML-Small
922-TR-SS-Medium	922-ML-Medium
922-TR-SS-Large	922-SR-ML-Large

Locking Screw

Stainless Steel	Titanium
922-SR	922-TR

UHMWPE Bush

922-UHM-05
922-UHM-10
922-UHM-15
922-UHM-20



Size Selection Chart

Distal Huemral Hinge	Resection Spacer	Length of Resection
55mm	-	55mm
55mm	30mm	85mm
55mm	40mm	95mm
55mm	50mm	105mm
55mm	60mm	115mm
55mm	70mm	125mm
55mm	80mm	135mm
55mm	90mm	145mm
55mm	100mm	155mm

Ulna Stem With 150 VALGUS

Taper Size. 5	Stem Length	Titanium	Stainless Steel
2/4mm (Left)	100mm	8006-TL-2/4	8006-SL-2/4
2/4mm (Right)	100mm	8006-TR-2/4	8006-SR-2/4
3/5mm (Left)	100mm	8006-TL-3/5	8006-SL-3/5
3/5mm (Right)	100mm	8006-TR-3/5	8006-SR-3/5

Elbow Hinge

Titanium	Stailness Steel
890-TR-55	890-SR-55

Humeral Stem, Length: 100mm


Diameter (Ø)	Titanium	Stailness Steel
6mm	606-OT-06-100	606-OS-06-100
7mm	606-OT-07-100	606-OS-07-100
8mm	606-OT-08-100	606-OS-08-100

Male to Male Coupler, Length: 45mm

Side	Titanium	Stailness Steel
Left	605-TH-45-LEFT	605-SH-45-LEFT
Right	605-TH-45-RIGHT	605-SH-45-RIGHT

Resection Spacer

Length	Titanium	Stailness Steel
30mm	605-OT-30	605-OS-30
40mm	605-OT-40	605-OS-40
50mm	605-OT-50	605-OS-50
60mm	605-OT-60	605-OS-60
70mm	605-OT-70	605-OS-70
80mm	605-OT-80	605-OS-80
90mm	605-OT-90	605-OS-90
100mm	605-OT-100	605-OS-100



Size Selection Chart

Huemrral Hinge	Resection Spacer	Length of Resection
50mm	-	50mm
50mm	30mm	80mm
50mm	40mm	90mm
50mm	50mm	100mm
50mm	60mm	110mm
50mm	70mm	120m
50mm	80mm	130mm
50mm	90mm	140mm
50mm	100mm	150mm

Proximal Humeral Component, Length: 35mm


Titanium	Stailness Steel
605-OT-TH-135	605-OT-SH-135

Resection Spacer

Length	Titanium	Stailness Steel
30mm	605-OT-30	605-OS-30
40mm	605-OT-40	605-OS-40
50mm	605-OT-50	605-OS-50
60mm	605-OT-60	605-OS-60
70mm	605-OT-70	605-OS-70
80mm	605-OT-80	605-OS-80
90mm	605-OT-90	605-OS-90
100mm	605-OT-100	605-OS-100

Proximal Humeral Head, Length: 35mm

Length	Titanium	Stailness Steel
33mm	605-TH-33	605-SH-33
35mm	605-TH-35	605-SH-35
37mm	605-TH-37	605-SH-37
39mm	605-TH-39	605-SH-39
41mm	605-TH-41	605-SH-41
43mm	605-TH-43	605-SH-43



Ulna Stem With 150 VALGUS

Taper Size. 5	Stem Length	Titanium	Stainless Steel
2/4mm (Left)	100mm	8006-TL-2/4	8006-SL-2/4
2/4mm (Right)	100mm	8006-TR-2/4	8006-SR-2/4
3/5mm (Left)	100mm	8006-TL-3/5	8006-SL-3/5
3/5mm (Right)	100mm	8006-TR-3/5	8006-SR-3/5

Resection Spacer

Length	Titanium	Stainless Steel
30mm	605-OT-30	605-OS-30
40mm	605-OT-40	605-OS-40
50mm	605-OT-50	605-OS-50
60mm	605-OT-60	605-OS-60
70mm	605-OT-70	605-OS-70
80mm	605-OT-80	605-OS-80
90mm	605-OT-90	605-OS-90
100mm	605-OT-100	605-OS-100

Proximal Humeral Component, Length: 35mm


Titanium	Stainless Steel
605-OT-TH-135	605-OT-SH-135

Distal Humeral Hinge Component

Titanium	Stainless Steel
619-TL-01	619-SL-01

Proximal Humeral Head, Length: 35mm

Length	Titanium	Stainless Steel
33mm	605-TH-33	605-SH-33
35mm	605-TH-35	605-SH-35
37mm	605-TH-37	605-SH-37
39mm	605-TH-39	605-SH-39
41mm	605-TH-41	605-SH-41
43mm	605-TH-43	605-SH-43



Size Selection Chart

Femoral Condyle	Resection Spacer	Stem Collar	Length of Resection
100mm	-	5mm	105mm
100mm	35mm	5mm	140mm
100mm	45mm	5mm	150mm
100mm	55mm	5mm	160mm
100mm	65mm	5mm	170mm
100mm	75mm	5mm	180mm
100mm	85mm	5mm	190mm
100mm	95mm	5mm	200mm
100mm	105mm	5mm	210mm
100mm	115mm	5mm	220mm
100mm	125mm	5mm	230mm

Arthodesis Component


Stainless Steel	Titanium
902-OS-100	902-OT-100

Lower Limb Stem Stem Straight/ HaCollar/ Curved

Description	Length/ Dia(Ø)	Titanium	Stainless Steel
Straight	10x125mm	914-OT-10-125	914-OS-10-125
Straight	11x125mm	914-OT-11-125	914-OS-11-125
Straight	12x125mm	914-OT-12-125	914-OS-12-125
HaCollar	10x110mm	9007-OT-DPC-10-110	9007-OS-DPC-10-110
HaCollar	11x110mm	9007-OT-DPC-11-110	9007-OS-DPC-11-110
HaCollar	12x110mm	9007-OT-DPC-12-110	9007-OS-DPC-12-110
Curved	10x125mm	9007-OT-CU-10-125	9007-OS-CU-10-125
Curved	11x125mm	9007-OT-CU-11-125	9007-OS-CU-11-125
Curved	12x125mm	9007-OT-CU-12-125	9007-OS-CU-12-125

Resection Spacer

Length	Titanium	Stainless Steel
30mm	605-OT-30	605-OS-30
40mm	605-OT-40	605-OS-40
50mm	605-OT-50	605-OS-50
60mm	605-OT-60	605-OS-60
70mm	605-OT-70	605-OS-70
80mm	605-OT-80	605-OS-80
90mm	605-OT-90	605-OS-90
100mm	605-OT-100	605-OS-100



Non-Rotating Platform

Size	Titanium	Stainless Steel
Small	1095-OT-325-SMALL	1095-OS-325-SMALL
Medium	1095-OT-325-MEDIUM	1095-OS-325-MEDIUM
Large	1095-OT-325-LARGE	1095-OS-325-LARGE

Rotating Platform

Size	Titanium	Stainless Steel
Small	901-OT-325-SMALL	901-OS-325-SMALL
Medium	901-OT-325-MEDIUM	901-OS-325-MEDIUM
Large	901-OT-325-LARGE	901-OS-325-LARGE




Intercalary Component


Stainless Steel	Titanium
903-0S-105	903-0T-105



Size	Titanium	Stainless Steel
Small	615-TH-SM	615-SH-SM
Medium	615-TH-MED	615-SH-MED
Large	615-TH-LAG	615-SH-LAG



Side	Titanium	Stainless Steel
Left	952-OT-55	952-OS-55
Right	952-OT-55	952-OS-55




Radial Head Prosthesis

Item	Titanium
Radial Component	4001-OT-100
Head: Small	4001-OT-SMALL
Head: Medium	4001-OT-MEDIUM
Head: Large	4001-OT-LARGE

xl-infinity
Proximal Tibia



Proximal Tibia Epiphyseal
Limb Sparing Prosthesis



Also
available in
**XL- Distal
Femur
Epiphyseal
Limb Sparing
Prosthesis**


xl-infinity
Proximal Tibia



Proximal Tibia Epiphyseal
Limb Sparing Prosthesis

Proximal Tibia Epiphyseal
Limb Sparing Prosthesis

Side	Titanium	Stainless Steel
Left	9010-ETL-120	9010-ESL-120
Right	9010-ETR-120	9010-ESR-120



Calcaneal Component (Left & Right)

➤ Length : 100mm


Stainless Steel	Titanium
923-OS-105	923-OT-105



Calcaneal Component (Left & Right)

➤ Length : 100mm

Stainless Steel	Titanium
924-OS-105	924-OT-105



Lower Limb Stem Stem Straight/ HaCollar/ Curved

Description	Dia/Length	HaAlV4	Stainless Steel
Straight	10x125mm	914-OT-10-125	914-OS-10-125
Straight	11x125mm	914-OT-11-125	914-OS-11-125
Straight	12x125mm	914-OT-12-125	914-OS-12-125
HaCollar	10x110mm	9007-OT-DPC-10-110	9007-OS-DPC-10-110
HaCollar	11x110mm	9007-OT-DPC-11-110	9007-OS-DPC-11-110
HaCollar	12x110mm	9007-OT-DPC-12-110	9007-OS-DPC-12-110
Curved	10x125mm	9007-OT-CU-10-125	9007-OS-CU-10-125
Curved	11x125mm	9007-OT-CU-11-125	9007-OS-CU-11-125
Curved	12x125mm	9007-OT-CU-12-125	9007-OS-CU-12-125

Tibia Component (Rotating Platform)

Description	Length M-L	Length A-P	Titanium	Stainless Steel
Small	65mm	60mm	901-OT-Small	901-OS-Small
Medium	65mm	65mm	901-OT-Medium	901-OS-Medium
Large	65mm	70mm	901-OT-Large	901-OS-Large

Tibia Component (Non-Rotating Platform)

Description	Length M-L	Length A-P	Titanium	Stainless Steel
Small	65mm	60mm	916-OT-Small	916-OS-Small
Medium	65mm	65mm	916-OT-Medium	916-OS-Medium
Large	65mm	70mm	916-OT-Large	916-OS-Large

Resection Spacer

Length	Titanium	Stainless Steel
35mm	913-OT-35	913-OS-35
45mm	913-OT-45	913-OS-45
55mm	913-OT-55	913-OS-55
65mm	913-OT-65	913-OS-65
75mm	913-OT-75	913-OS-75
85mm	913-OT-85	913-OS-85
95mm	913-OT-95	913-OS-95
105mm	913-OT-105	913-OS-105
115mm	913-OT-115	913-OS-115
125mm	913-OT-125	913-OS-125

Femur Component (Left & Right)

> Length: 75mm

Stainless Steel	Titanium
915-TR-80	915-SR-80
915-TL-80	915-SL-80

Proximal Femur Component

> Offset: 37.5 | Length: 95mm


Stainless Steel	Titanium
912-OS-100	912-TIT-100

Bipolar/ Half Cup

Half Cup Size	Item Code	Neck Length
38mm	5007-24-38/0	0
38mm	5007-24-38/-3	-3
38mm	5007-24-38/+5	+5
40mm	5007-24-40/0	0
40mm	5007-24-40/-3	-3
40mm	5007-24-40/+5	+5
42mm	5007-24-42/0	0
42mm	5007-24-42/-3	-3
42mm	5007-24-42/+5	+5
44mm	5007-28-44/0	0
44mm	5007-28-44/-3	-3
44mm	5007-28-44/+5	+5
46mm	5007-28-46/0	0
46mm	5007-28-46/-3	-3
46mm	5007-28-46/+5	+5
48mm	5007-28-48/0	0
48mm	5007-28-48/-3	-3
48mm	5007-28-48/+5	+5
50mm	5007-28-50/0	0
50mm	5007-28-50/-3	-3
50mm	5007-28-50/+5	+5
52mm	5007-28-52/0	0
52mm	5007-28-52/-3	-3
52mm	5007-28-52/+5	+5
54mm	5007-28-54/0	0
54mm	5007-28-54/-3	-3
54mm	5007-28-54/+5	+5


Stem for Tibia Component

Size	Titanium	Stainless Steel
9X50	905-OT-9-50	905-OS-9-50
9X75	905-OT-9-50	905-OS-9-75
9X100	905-OT-9-100	905-OS-9-100
10X50	905-OT-10-50	905-OS-10-50
10X75	905-OT-10-75	905-OS-10-75
10X100	905-OT-10-100	905-OS-10-100
11X50	905-OT-11-50	905-OS-11-50
11X75	905-OT-11-75	905-OS-11-75
11X100	905-OT-11-100	905-OS-11-100




Titanium	Stailness Steel
912-TR-75	912-SR-75
912-TL-75	912-SL-75

Also
available in
**Total Femur
Expandable
Prosthesis**



Titanium	Stainless Steel
902-TL-EX-Length	902-OS-EX-Length



34 Years of
Dedication

ORTHO LIFE SYSTEMS PVT. LTD.

Corporate Office & Works: D-111, Okhla Industrial Area, Phase 1, New Delhi-110020, India

Sales Office: 49, Church Road, Bhogal, Jangpura, New Delhi-110014, India

Phone: +91-11-41324393, 42851229 | Toll Free: 1800 121 1190 | Email: info@xlo.in | Web: www.xlo.in

www.xlo.in